

L Number	Hits	Search Text	DB	Time stamp
1	68	((blocked) same ((caller adj id) or clid or (calling adj line adj identificat\$))	USPAT	2002/02/08 15:44
2	5	((blocked) same ((caller adj id) or clid or (calling adj line adj identificat\$))) same (stor\$)	USPAT	2002/02/08 15:44
-	5429	(answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))	USPAT	2002/02/08 15:36
-	2306	((answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))) and 379/\$.ccls.	USPAT	2002/02/08 14:56
-	288	((answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))) same status\$	USPAT	2002/02/08 14:57
-	158	((answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))) same status\$) and 379/\$.ccls.	USPAT	2002/02/08 14:58

L Number	Hits	Search Text	DB	Time stamp
1	5429	(answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))	USPAT	2002/02/08 14:55
2	2306	((answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))) and 379/\$.ccls.	USPAT	2002/02/08 14:56
3	288	((answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))) same status\$	USPAT	2002/02/08 14:57
4	158	((((answer\$ or offhook or off-hook or (off adj hook)) same (person or man or (answering adj machine))) same status\$) and 379/\$.ccls.	USPAT	2002/02/08 14:58

6215859

DOCUMENT-IDENTIFIER: US 6215859 B1

TITLE: Delivery of urgent messages by integrated forced delivery and voice mailbox

DEPR:

For both embodiments of the present invention, when the call is answered, the message can be played or a determination can be made whether the answered call is a "live answer" or answered by an answering device or machine by using well-known algorithms, such as being based on the length of the speech energy received after the call is answered. If it is determined that the answer is a "live answer", the message is played. If it is determined that an answering machine answered the call, the call may be abandoned or the message might be recorded, depending on the system. It would not be desirable, for example, for a voice-mail system to record the same message into itself for the called party. Another optional feature for both embodiments of the present invention is that the sender is notified that the message has been delivered by, for example, a pre-recorded message status call-back message.

CCOR:

379/88.22

CCXR:

379/88.12

DOCUMENT-IDENTIFIER: US 6282275 B1

TITLE: Telephone caller identification log with internet access

**BSPR:**

Some customer premises equipment (CPE) presently have storage capability for the caller identification of incoming calls, assuming that such caller identification is not blocked as it is in some cases. For example, Lucent Technologies produces a model ISDN 8520T CPE which keeps a log of unanswered incoming, answered incoming and outgoing telephone calls. Each recorded call has a time of day and date record also, so 'number unavailable' calls can be distinguished from caller ID available calls. This CPE when used with a switch with such information, such as an ISDN PBX switch, will give each caller's name if it is stored in the switch's database. All this caller ID information appears on a liquid crystal display (LCD). Earlier versions of similar ISDN telephones used video displays instead. Further, the model ISDN 8520T, like many other ISDN telephones, have a data port to which a computer may be connected. In such a connection, the caller ID information may be captured by the computer, displayed, time stamped and stored just as the CPE does.